

Moving Straight Ahead Teaching Aid 1.3: Matching Representations

Equations	Tables	Graphs																
$m = 2d + 0$	<table border="1"> <thead> <tr> <th>Distance (km)</th> <th>Donation (dollars)</th> </tr> </thead> <tbody> <tr><td>0</td><td>5</td></tr> <tr><td>1</td><td>5.50</td></tr> <tr><td>2</td><td>6</td></tr> <tr><td>3</td><td>6.50</td></tr> <tr><td>4</td><td>7</td></tr> <tr><td>5</td><td>7.50</td></tr> <tr><td>6</td><td>8</td></tr> </tbody> </table>	Distance (km)	Donation (dollars)	0	5	1	5.50	2	6	3	6.50	4	7	5	7.50	6	8	<p>A scatter plot with 'Distance (kilometers)' on the x-axis (0 to 10) and 'Donation Money (dollars)' on the y-axis (0 to 18). Blue dots are plotted at (0, 10), (1, 10), (2, 10), (3, 10), (4, 10), (5, 10), (6, 10), (7, 10), (8, 10), (9, 10), and (10, 10). Three open circles are also plotted at (2, 18), (4, 18), and (6, 18).</p>
Distance (km)	Donation (dollars)																	
0	5																	
1	5.50																	
2	6																	
3	6.50																	
4	7																	
5	7.50																	
6	8																	
$m = 10 + 0d$	<table border="1"> <thead> <tr> <th>Distance (km)</th> <th>Donation (dollars)</th> </tr> </thead> <tbody> <tr><td>0</td><td>5</td></tr> <tr><td>1</td><td>5.50</td></tr> <tr><td>2</td><td>6</td></tr> <tr><td>3</td><td>6.50</td></tr> <tr><td>4</td><td>7</td></tr> <tr><td>5</td><td>7.50</td></tr> <tr><td>6</td><td>8</td></tr> </tbody> </table>	Distance (km)	Donation (dollars)	0	5	1	5.50	2	6	3	6.50	4	7	5	7.50	6	8	
Distance (km)	Donation (dollars)																	
0	5																	
1	5.50																	
2	6																	
3	6.50																	
4	7																	
5	7.50																	
6	8																	
$m = 2d$	<table border="1"> <thead> <tr> <th>Distance (km)</th> <th>Donation (dollars)</th> </tr> </thead> <tbody> <tr><td>0</td><td>0</td></tr> <tr><td>1</td><td>2</td></tr> <tr><td>2</td><td>4</td></tr> <tr><td>3</td><td>6</td></tr> <tr><td>4</td><td>8</td></tr> <tr><td>5</td><td>10</td></tr> <tr><td>6</td><td>12</td></tr> </tbody> </table>	Distance (km)	Donation (dollars)	0	0	1	2	2	4	3	6	4	8	5	10	6	12	<p>A scatter plot with 'Distance (kilometers)' on the x-axis (0 to 10) and 'Donation Money (dollars)' on the y-axis (0 to 18). Green dots are plotted at (0, 0), (1, 2), (2, 4), (3, 6), (4, 8), (5, 10), (6, 12), (7, 14), (8, 16), and (9, 18).</p>
Distance (km)	Donation (dollars)																	
0	0																	
1	2																	
2	4																	
3	6																	
4	8																	
5	10																	
6	12																	
$m = 5 + 0.50d$	<table border="1"> <thead> <tr> <th>Distance (km)</th> <th>Donation (dollars)</th> </tr> </thead> <tbody> <tr><td>0</td><td>0</td></tr> <tr><td>1</td><td>2</td></tr> <tr><td>2</td><td>4</td></tr> <tr><td>3</td><td>6</td></tr> <tr><td>4</td><td>8</td></tr> <tr><td>5</td><td>10</td></tr> <tr><td>6</td><td>12</td></tr> </tbody> </table>	Distance (km)	Donation (dollars)	0	0	1	2	2	4	3	6	4	8	5	10	6	12	
Distance (km)	Donation (dollars)																	
0	0																	
1	2																	
2	4																	
3	6																	
4	8																	
5	10																	
6	12																	
$m = 10$	<table border="1"> <thead> <tr> <th>Distance (km)</th> <th>Donation (dollars)</th> </tr> </thead> <tbody> <tr><td>0</td><td>10</td></tr> <tr><td>1</td><td>10</td></tr> <tr><td>2</td><td>10</td></tr> <tr><td>3</td><td>10</td></tr> <tr><td>4</td><td>10</td></tr> <tr><td>5</td><td>10</td></tr> <tr><td>6</td><td>10</td></tr> </tbody> </table>	Distance (km)	Donation (dollars)	0	10	1	10	2	10	3	10	4	10	5	10	6	10	<p>A scatter plot with 'Distance (kilometers)' on the x-axis (0 to 10) and 'Donation Money (dollars)' on the y-axis (0 to 18). Red dots are plotted at (0, 5), (1, 5.5), (2, 6), (3, 6.5), (4, 7), (5, 7.5), (6, 8), (7, 8.5), (8, 9), (9, 9.5), and (10, 10).</p>
Distance (km)	Donation (dollars)																	
0	10																	
1	10																	
2	10																	
3	10																	
4	10																	
5	10																	
6	10																	